

MAGNETIC TRACK LIGHTS



**CIRO MAGNETIC TRACK LIGHTS —
FLEXIBILITY MEETS ARCHITECTURAL
PRECISION.**



MAGNETIC GRILLE LIGHT

Short







Short Style Line Grille Light

■ BLACK □ WHITE


Input	System Power	LED Power	CRI	Beam Angle	CCT
48V	12/18/24W	OSRAM	Ra90	24°	3000K,4000K,More..



Model NO.: **HS26-12TA** System Power: **12W**



Model NO.: **HS26-18TA** System Power: **18W**



Model NO.: **HS26-24TA** System Power: **24W**



Short Style-Line Floodlight

BLACK
 WHITE

Input	System Power	LED Power	CRI	Beam Angle	CCT
48V	10/20/30W	OSRAM	Ra90	120°	3000K,4000K,More..



Model NO.: **HS26-300FA** System Power: **10W**



Model NO.: **HS26-600FA** System Power: **20W**




Model NO.: **HS26-900FA** System Power: **30W**





MAGNETIC GRILLE LIGHT






Line grille light - 6W

BLACK WHITE

Model NO.	Input	System Power	led Power	CRI	Beam Angle	CCT
HS26-6T	48V	6W	OSRAM	Ra90	36°	3000K,4000K,More..



Line grille light - 12W

BLACK WHITE

Model NO.	Input	System Power	led Power	CRI	Beam Angle	CCT
HS26-12T	48V	12W	OSRAM	Ra90	36°	3000K,4000K,More..

MAGNETIC GRILLE LIGHT

Line grille light

BLACK WHITE



▶ 112mm

Model NO.: **HS26-6T**

System Power: **6W**



▶ 220mm

Model NO.: **HS26-12T**

System Power: **12W**



▶ 328mm

Model NO.: **HS26-18T**

System Power: **18W**



▶ 435mm

Model NO.: **HS26-24T**

System Power: **24W**



▶ 543mm

Model NO.: **HS26-30T**


System Power: **30W**



▶ 1080mm

Model NO.: **HS26-60T**

System Power: **45W**






12:20



MAGNETIC WALL WASH LIGHT

6W/12W/18W/24W/30W/45W






Line polarized light - 6W

BLACK
 WHITE

Model NO.	Input -	System Power	led Power	CRI -	Beam Angle	CCT -
HS26-6TP	48V	6W	OSRAM	Ra90	POLARIZED 3000K,4000K,More..	-



Line polarized light - 12W

BLACK
 WHITE

Model NO.	Input -	System Power	led Power	CRI -	Beam Angle	CCT -
HS26-12TP	48V	12W	OSRAM	Ra90	POLARIZED 3000K,4000K,More..	-


MAGNETIC WALL WASH LIGHT

Line polarized light

■ BLACK □ WHITE




▶ 112mm
Model NO.: **HS26-6TP** System Power: **6W**




▶ 220mm
Model NO.: **HS26-12TP** System Power: **12W**




▶ 328mm
Model NO.: **HS26-18TP** System Power: **18W**



▶ 435mm
Model NO.: **HS26-24TP** System Power: **24W**



▶ 543mm
Model NO.: **HS26-30TP** System Power: **30W**




▶ 1080mm
Model NO.: **HS26-60TP** System Power: **45W**



MAGNETIC FLOOD LIGHT

10W/20W/30W






Line floodlight - 10W

BLACK WHITE

Model NO.	Input	System Power	led Power	CRI	Beam Angle	CCT
HS26-300F	48V	10W	OSRAM	Ra90	120°	3000K,4000K,More..



Line floodlight -20W

BLACK WHITE

Model NO.	Input	System Power	led Power	CRI	Beam Angle	CCT
HS26-600F	48V	20W	OSRAM	Ra90	120°	3000K,4000K,More..



MAGNETIC FLOOD LIGHT

Line floodlight


■ BLACK □ WHITE



▶ 300mm

Model NO.: **HS26-300F**

System Power: **10W**



▶ 600mm

Model NO.: **HS26-600F**

System Power: **20W**



▶ 900mm

Model NO.: **HS26-900F**


System Power: **30W**



▶ 1200mm

Model NO.: **HS26-1200F**

System Power: **40W**




L-shaped floodlight - 20W

■ BLACK □ WHITE


Model NO.	Input	System Power	led Power	CRI	Beam Angle	CCT
HS26-L-300F	48V	20W	OSRAM	Ra90	120°	3000K,4000K,More..





MAGNETIC GRILLE LIGHT






Line folding grille light 6W

■ BLACK □ WHITE

Model NO.	Input	System Power	led Power	CRI	Beam Angle	CCT
HS26-6TX	48V	6W	OSRAM	Ra90	24°	3000K,4000K,More..



Line folding grille light 12W


■ BLACK □ WHITE

Model NO.	Input	System Power	led Power	CRI	Beam Angle	CCT
HS26-12TX	48V	12W	OSRAM	Ra90	24°	3000K,4000K,More..

MAGNETIC GRILLE LIGHT

Line folding grille light


■ BLACK □ WHITE



▶ 130mm

Model NO.: **HS26-6TX**


System Power: **6W**



▶ 245mm

Model NO.: **HS26-12TX**


System Power: **12W**



▶ 360mm

Model NO.: **HS26-18TX**


System Power: **18W**



▶ 475mm

Model NO.: **HS26-24TX**

System Power: **24W**




▶ 585mm

Model NO.: **HS26-30TX**

System Power: **30W**






Line folding floodlight10W

BLACK
 WHITE

Model NO.	Input	System Power	led Power	CRI	Beam Angle	CCT
HS26-300FX	48V	10W	OSRAM	Ra90	120°	3000K,4000K,More..



Line folding floodlight20W

BLACK
 WHITE



Model NO.	Input	System Power	led Power	CRI	Beam Angle	CCT
HS26-600FX	48V	20W	OSRAM	Ra90	120°	3000K,4000K,More..



MAGNETIC FLOOD LIGHT

Line folding floodlight


■ BLACK □ WHITE



▶ 315mm

Model NO.: **HS26-300FX**

System Power: **10W**



▶ 615mm

Model NO.: **HS26-600FX**

System Power: **20W**



▶ 915mm


Model NO.: **HS26-900FX**

System Power: **30W**



MAGNETIC FOLDING LIGHT






Folding grille light - 6W

BLACK WHITE


Model NO.	Input -	System Power	led Power	CRI -	Beam Angle	CCT -
HS-CX003-6T	48V	6W	OSRAM	Ra90	36°	3000K,4000K,More..



Folding grille light - 12W

BLACK WHITE


Model NO.	Input -	System Power	led Power	CRI -	Beam Angle	CCT -
HS-CX003-12T	48V	12W	OSRAM	Ra90	36°	3000K,4000K,More..



Folding floodlight - 6W

BLACK WHITE


Model NO.	Input -	System Power	led Power	CRI -	Beam Angle	CCT -
HS-CX003-6F	48V	6W	OSRAM	Ra90	120°	3000K,4000K,More..



Folding floodlight - 12W

BLACK WHITE


Model NO.	Input -	System Power	led Power	CRI -	Beam Angle	CCT -
HS-CX003-12F	48V	12W	OSRAM	Ra90	120°	3000K,4000K,More..



Folding grille light with pole12W

■ BLACK □ WHITE


Model NO.	Input -	System Power	led Power	CRI -	Beam Angle	CCT -
HS-CX003-5T	48V	12W	OSRAM	Ra90	30°	3000K,4000K,More..



Folding grille light with pole24W

■ BLACK □ WHITE



Model NO.	Input -	System Power	led Power	CRI -	Beam Angle	CCT -
HS-CX003-10T	48V	24W	OSRAM	Ra90	30°	3000K,4000K,More..



Folding lamp-3 bead spotlight

BLACK
 WHITE

Model NO.	Input -	System Power	led Power	CRI -	Beam Angle	CCT -
HS-CXM75	48V	9W	OSRAM	Ray90	24°	3000K,4000K,More..



Spotlight - cylinder

BLACK
 WHITE

Spotlight-Honeycomb

Model NO.	Input -	System Power	led Power	CRI -	Beam Angle	CCT -
HS26-HX01/HS26-HX02	48V	3W	OSRAM	Ray90	24°	3000K,4000K,More..






MAGNETIC SPOT LIGHT





Track spotlight - 35 caliber

BLACK
 WHITE




Model NO.	Input -	System Power	led Power	CRI -	Beam Angle	CCT -
HS-CX035	48V	7W	Bridgelux	Ra90	24°	3000K,4000K,More..




Track spotlight - 45 caliber

BLACK
 WHITE




Model NO.	Input -	System Power	led Power	CRI -	Beam Angle	CCT -
HS-CX045	48V	12W	Bridgelux	Ra90	24°	3000K,4000K,More..



Track spotlight - 55 caliber

■ BLACK □ WHITE

Model NO.	Input -	System Power	led Power	CRI -	Beam Angle	CCT -
HS-CX055	48V	18W	Bridgelux	Ra90	24°	3000K,4000K,More..



Track spotlight - 65 caliber


■ BLACK □ WHITE

Model NO.	Input -	System Power	led Power	CRI -	Beam Angle	CCT -
HS-CX065	48V	24W	Bridgelux	Ra90	24°	3000K,4000K,More..



Track spotlight - 60 caliber

BLACK
 WHITE




Model NO.	Input -	System Power	led Power	CRI -	Beam Angle	CCT -
HS-CX060	48V	18W	Bridgelux	Ra90	24°	3000K,4000K,More..



Track spotlight - 70 caliber

BLACK
 WHITE




Model NO.	Input -	System Power	led Power	CRI -	Beam Angle	CCT -
HS-CX070	48V	24W	Bridgelux	Ra90	24°	3000K,4000K,More..



Track spotlight - 40 caliber

BLACK
 WHITE




Model NO.	Input -	System Power	led Power	CRI -	Beam Angle	CCT -
HS-CX040	48V	7W	Bridgelux	Ray90	24°	3000K,4000K,More..




Track grille light

BLACK
 WHITE




Model NO.	Input -	System Power	led Power	CRI -	Beam Angle	CCT -
HS-CXG90	48V	9W	OSRAM	Ray90	24°	3000K,4000K,More..



Track fill light

BLACK
 WHITE

Model NO.	Input -	System Power	led Power	CRI -	Beam Angle	CCT -
HS-CXB90	48V	9W	OSRAM	Ray90	120°	3000K,4000K,More..




Track fill light - PLUS

BLACK
 WHITE

Model NO.	Input -	System Power	led Power	CRI -	Beam Angle	CCT -
HS-CXZ90	48V	9W	OSRAM	Ray90	120°	3000K,4000K,More..



Unit: mm



Half moon floodlight

■ BLACK □ WHITE

Model NO.	Input	System Power	led Power	CRI	Beam Angle	CCT
HS-CX100F	48V	7W	OSRAM	Ray90	180°	3000K,4000K,More..






MAGNETIC SPOT LIGHT





Focus Track Light - 35 Caliber

BLACK
 WHITE




Model NO.	Input -	System Power	led Power	CRI -	Beam Angle	CCT -
HS-CXT035	48V	7W	Bridgelux	Ra90	15°-50°	3000K,4000K,More..



Focus Track Light - 45 Caliber

BLACK
 WHITE




Model NO.	Input -	System Power	led Power	CRI -	Beam Angle	CCT -
HS-CXT045	48V	12W	Bridgelux	Ra90	15°-50°	3000K,4000K,More..



Focusing track light - 55 caliber

BLACK
 WHITE




Model NO.	Input -	System Power	led Power	CRI -	Beam Angle	CCT -
HS-CXT055	48V	18W	Bridgelux	Ra90	15°-55°	3000K,4000K,More..



Focus Track Light - 65 Caliber

BLACK
 WHITE



Model NO.	Input -	System Power	led Power	CRI -	Beam Angle	CCT -
HS-CXT065	48V	24W	Bridgelux	Ra90	15°-55°	3000K,4000K,More..





MAGNETIC SUSPENSION LIGHT



Bridgelux
LAMP BEADS




24°
BEAM ANGLE



Straight chandelier

BLACK
 WHITE




Model NO.	Input	System Power	led Power	CRI	Beam Angle	CCT
HS-CXD300	48V	12W	Bridgelux	Ra90	24°	3000K,4000K,More..



Art Chandelier-Grenade

BLACK
 WHITE




Model NO.	Input	System Power	led Power	CRI	Beam Angle	CCT
HS-CXDSL300	48V	12W	Bridgelux	Ra90	24°	3000K,4000K,More..



Round chandelier

■ BLACK □ WHITE




Model NO.	Input	System Power	led Power	CRI	Beam Angle	CCT
HS-CXDY100	48V	12W	Bridgelux	Ra90	24°	3000K,4000K,More..



Round focus chandelier

■ BLACK □ WHITE




Model NO.	Input	System Power	led Power	CRI	Beam Angle	CCT
HS-CXDYT100	48V	12W	Bridgelux	Ra90	10°- 55°	3000K,4000K,More..





Globe chandelier

BLACK
 WHITE




Model NO.	Input	System Power	led Power	CRI	Beam Angle	CCT
HS-CXD150-DQ	48V	7W	OSRAM	Ra90	350°	3000K,4000K,More..




Moon chandelier

BLACK
 WHITE



Model NO.	Input	System Power	led Power	CRI	Beam Angle	CCT
HS-CXD150-YQ	48V	7W	OSRAM	Ra90	350°	3000K,4000K,More..




Half moon floodlight chandelier

■ BLACK □ WHITE

Model NO.	Input	System Power	led Power	CRI	Beam Angle	CCT
HS-CXD100F	48V	7W	OSRAM	Ra90	180°	3000K,4000K,More..



**MAGNETIC
LIGHT TUBE**



Floodlight

BLACK WHITE

Model NO.	Input -	System Power	led Power	CRI -	Beam Angle	CCT -
HS26-SS300F	48V	10W	ORSAM	Ra90	180°	3000K,4000K,More..




HS26-SS900F/30W




HS26-SS600F/20W



HS26-SS300F/10W




**MAGNETIC
SOFT LIGHT TUBE**



Luminous tube

Model NO.	Input -	System Power	led Power	CRI -	Beam Angle	CCT -
HS26-GJ500	48V	8W	TD	Ra90	360°	3000K,4000K,More..
HS26-GJ1000		16W				
HS26-GJ1500		24W				
HS26-GJ2000		32W				
HS26-GJ3000		48W				



MAGNETIC ORBIT

Various styles of magnetic track installation




Short Model - Exposed Track

■ BLACK □ WHITE


Installation method: Frameless embedded/surface mounted/ceiling mounted

Model NO. HS-26A


Track Length 100cm, 150cm, 200cm, 300cm



Low surface-mounted - horizontal



Low surface-mounted - vertical





Short Model-Concealed Track

■ BLACK □ WHITE


Installation method: Frameless embedded/surface mounted/ceiling mounted

Model NO. HS-26B


Track Length 100cm, 150cm, 200cm, 300cm



Short concealed installation horizontal



Low concealed installation vertical




Surface mounted track

■ BLACK □ WHITE

Installation method: Frameless embedded/surface mounted/ceiling mounted

Model NO. HS-26C


Track Length 100cm, 150cm, 200cm, 300cm



Surface-mounted - horizontal



Surface mounted-vertical corner




Concealed track

■ BLACK □ WHITE

Installation method: embedded/concealed installation

Model NO. HS-26D


Track Length 100cm, 150cm, 200cm, 300cm



Concealed installation - horizontal



Concealed installation - vertical




Criticism track

■ BLACK □ WHITE

Installation method: framed embedded/patch gray type

Model NO. HS-26E

Track Length 100cm, 150cm, 200cm, 300cm



Horizontal corner




Vertical corner




Magnetic direct head

Connection energized module between two rails




Magnetic power supply module

The external transformer is connected to one end of the module line, and the plastic end of the module is connected to the track, so that the track forms a low voltage of 48V.



Magnetic soft joint

Used with a 90° angle, the connection power module between the two tracks



Track connection reinforcement

The splicing reinforcement between the two rails is used on the back of the two rails and is usually used for surface-mounted rails.



Orbital hoisting wire

The surface-mounted track is used so that the track can be hoisted by at least two suspension lines. The hoisting of the track can only be achieved by using it at the same time.



DC 48V


Embedded rail transformer

The input voltage is 85-220V and


the output voltage is 48V.

It is used to step down the track strip so that the track forms a low voltage of 48V.

Integrated power supply 100W



Integrated power supply 200W



Note tips

The total number of watts of all lamps in the same track system cannot be higher than the number of watts of the transformer.

MAGNETIC TRACK LIGHTS

A collection of modern magnetic track lighting fixtures, including linear tracks with multiple LED strips and individual cylindrical spotlights, arranged in a dynamic, overlapping composition against a dark background.

CIRO LIGHT —
LIGHTING SPACES.
ELEVATING PROJECTS.